

**ENVIRONMENTAL AUDIT REPORT  
OF  
SEVADAL MAHILA MAHAVIDYALAYA  
SAKKARDARA SQUARE UMRER ROAD,  
NAGPUR- 440 024**



Year: 2020-2021



Prepared by:

**Enrich Consultants**

Yashashree, 26, Nirmal Bag Society,  
Near Mukhtangan English School, Parvati, Pune 411009  
Phone: 09890444795 Email: [enrichcons@gmail.com](mailto:enrichcons@gmail.com)

**Principal**  
Sevalal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.

**MAHARASHTRA ENERGY DEVELOPMENT AGENCY**

An ISO 9001 : 2000 Reg. no. : RQ 91 / 2462



**Maharashtra Energy Development Agency**

(Government of Maharashtra Institution)

Aundh Road, Opposite Spicer College Road, Near Commissionerate of Animal Husbandary,

Aundh, Pune, Maharashtra 411067

Ph No: 020-35000450

Email: [eee@mahaurja.com](mailto:eee@mahaurja.com), Web: [www.mahaurja.com](http://www.mahaurja.com)

ECN/2021-22/CR-14/1577

22<sup>nd</sup> April, 2021

**CERTIFICATE OF REGISTRATION  
FOR CLASS 'A'**

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.

**Name and Address of the firm** : M/s Enrich Consultants  
Yashashree, Plot No. 26, Nirmal Bag Society,  
Near Muktangan English School, Parvati,  
Pune - 411009.

**Registration Category** : Empanelled Consultant for Energy Conservation  
Programme for Class 'A'

**Registration Number** : MEDA/ECN/2021-22/Class A/EA-03

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit at any time without giving prior information to verify quarterly activities performed by the firm and canceling the registration, if the information is found incorrect.
- This empanelment is valid till 21<sup>st</sup> April, 2023 from the date of registration, to carry out energy audits under the Energy Conservation Programme
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.

General Manager (EC)

Principal

Sevadal Mahila Mahavidyalaya  
Umrao Road, Nagpur-3.



# Enrich Consultants

Yashashree, 26, Nirmal Bag Society,  
Near Mukhtangan English School, Parvati, Pune 411 009  
Tel: 09890444795 Email: [enrichcons@gmail.com](mailto:enrichcons@gmail.com)

Ref: EC/SMM/20-21/21

Date: 24/04/2021

## CERTIFICATE

This is to certify that we have conducted Environmental Audit at Sevadal Mahila Mahavidyalaya, Nagpur in the Academic year 2020-21.

The College has adopted following Environment Friendly Practices:

- Usage of Energy Efficient LED Light Fitting
- Maximum Usage of Day Lighting
- Provision of Separate bins for Dry & Wet Waste
- The College has installed septic tanks and cleans periodically.
- Implementation of Rain Water Management Project
- Tree Plantation in the campus
- Creation of awareness by Display of Posters on Resource Conservation

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



**A Y Mehendale,**  
Certified Energy Auditor  
EA-8192



**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



## INDEX

Sr. No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	8
1	Introduction	9
2	Study of Consumption of Resources & CO <sub>2</sub> Emission	11
3	Study of CO <sub>2</sub> Emission Reduction	13
4	Study of Indoor Air Quality	14
5	Study of Indoor Comfort Condition Parameters	16
6	Study of Waste Management	17
7	Study of Rain water Management	18
8	Study of Environment Friendly Initiatives	19
	<b>Annexure</b>	
I	Various Standards in respect of Indoor Air Quality, Water, Noise & Indoor Comfort Condition	20



Principal

Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.





## **ACKNOWLEDGEMENT**

We Enrich Consultants, Pune, express our sincere gratitude to the management Sevadal Mahila Mahavidyalaya, Nagpur for awarding us the assignment of Environmental Audit of their Campus for the Academic Year: 2020-21.

We are thankful to all the Principal and Staff members for helping us during the field study.



**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.

## EXECUTIVE SUMMARY

1. Sevadal Mahila Mahavidyalaya, Nagpur consumes Energy in the form of Electrical Energy used for various Electrical Equipment, office & other facilities.

### 2. Various Pollution due to College Activities:

- Air pollution: Mainly CO<sub>2</sub> on account of Electricity Consumption
- Solid Waste: Bio degradable Garden Waste
- Liquid Waste: Human liquid waste

### 3. Present Energy Consumption & CO<sub>2</sub> Emission:

No	Parameter/ Value	Energy Purchased, kWh	CO <sub>2</sub> Emissions, MT
1	Total	4184	3.7656
2	Maximum	1047	0.9423
3	Minimum	0	0
4	Average	348.66	0.3138

### 4. Various initiatives taken for Energy Conservation:

- Usage of Energy Efficient LED Lighting
- Maximum Usage of Day Lighting

### 5. Usage of Renewable Energy & Reduction in CO<sub>2</sub> Emission:

- It is recommended to install roof-top solar PV Plant on college building as per availability of funds.
- College has installed solar street light systems in the premises.

### 6. Indoor Air Quality Parameters:

No	Parameter/Value	AQI	PM-2.5	PM-10
1	Maximum	56	36	48
2	Minimum	32	24	33

### 7. Indoor Comfort Conditions:

No	Parameter/Value	Temperature, °C	Humidity, %	Lux Level	Noise Level, dB
1	Maximum	39.7	46	305	39
2	Minimum	33	41	210	30



Principal  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



## 8. Waste Management:

### 8.1 Segregation of Waste at Source:

The Waste is segregated at source and the recyclable waste, like paper, plastic waste is handed over to Authorized waste collecting agent for further recycling.

### 8.2 Organic Waste Management:

The College has installed bio-composting pit, to convert bio-degradable waste into bio-fertilizer.

### 8.3 Liquid Waste Management:

The College has installed Septic and is cleaned periodically.

### 8.4 E-Waste Management:

The E-Waste is disposed of through Authorized E-Waste collecting agency.

## 9. Rain Water Management:

The College has installed the Rainwater Management project, the rain water falling on the terrace is collected and is used for increasing the under the underground water table.

## 10. Environment Friendly Initiatives:

- Tree Plantation in the campus.
- Display of Posters on Resource Conservation

## 11. Notes & Assumptions:

1. 1 kWh of Electrical Energy releases **0.9 Kg of CO<sub>2</sub>** into atmosphere

## 12. References:

- For CO<sub>2</sub> Emissions: [www.tatapower.com](http://www.tatapower.com)
- For Energy Saved by Solar Thermal Water Heating System: [www.mahaurja.com](http://www.mahaurja.com)
- For Various Indoor Air Parameters: [www.ishrae.com](http://www.ishrae.com)
- For AQI & Water Quality Standards: [www.cpcb.com](http://www.cpcb.com)

  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



## **ABBREVIATIONS**

Kg	:	Kilo Gram
MSEDCL	:	Maharashtra State Distribution Company Limited
MT	:	Metric Ton
kWh	:	kilo-Watt Hour
LPD	:	Liters per Day
LED	:	Light Emitting Diode
AQI	:	Air Quality Index
PM-2.5	:	Particulate Matter of Size 2.5 Micron
PM-10	:	Particulate Matter of Size 10 Micron
CPCB	:	Central Pollution Control Board
ISHRAE	:	The Indian Society of Heating & Refrigerating & Air Conditioning Engineers



**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.

## **CHAPTER-I**

### **INTRODUCTION**

#### **1.1 Important Definitions:**

##### **1.1.1 Environment: Definition as per environment Protection Act: 1986**

Environment includes water, air and land and the inter-relationship which exists among and between Water, Air, Land and Human beings, other living creatures, plants microorganism and property

##### **1.1.2. Environmental Audit: Definition:**

An audit which aims at verification and validation to ensure that various environmental laws are compiled with and adequate care has been taken towards environmental protection and preservation

*According to UNEP, 1990, "Environmental audit can be defined as a management tool comprising systematic, documented and periodic evaluation of how well environmental organization management and equipment are performing with an aim of helping to regularize the environment"*

**1.1.3. Environmental Pollutant:** means any solid, liquid and gaseous substance present in the concentration as may be, or tend to be, injurious to Environment.

##### **1.1.4. Table No-1: Relevant Environmental Laws in India:**

1927	The Indian Forest Act
1972	The Wildlife Protection Act
1974	The Water (Prevention and Control of Pollution) Act
1977	The Water (Prevention & Control of Pollution) Cess Act
1980	The Forest (Conservation) Act
1981	The Air (Prevention and Control of Pollution) Act
1986	The Environment Protection Act
1991	The Public Liability Insurance Act
2002	The Biological Diversity Act
2010	The National Green Tribunal Act

##### **1.1.5. Table No-2: Some Important Environmental Rules in India:**

1989	Hazardous Waste (Management and Handling) Rules
1989	Manufacture, Storage and Import of Hazardous Chemical Rules
2000	Municipal Solid Waste (Management and Handling) Rules
1998	The Biomedical Waste (Management and Handling) Rules
1999	The Environment (Siting for Industrial Projects) Rules
2000	Noise Pollution (Regulation and Control) Rules
2000	Ozone Depleting Substances (Regulation and Control) Rules
2011	E-waste (Management and Handling) Rules

2011	National Green Tribunal (Practices and Procedure) Rules
2011	Plastic Waste (Management and Handling) Rules

**1.1.6 Table No-3: National Environmental Plans & Policy Documents:**


1.	National Forest Policy, 1988
2.	National Water Policy, 2002
3.	National Environment Policy or NEP (2006)
4.	National Conservation Strategy and Policy Statement on Environment and Development, 1992
5.	Policy Statement for Abatement of Pollution (1992)
6.	National Action Plan on Climate Change
7.	Vision Statement on Environment and Human Health
8.	Technology Vision 2030 (The Energy Research Institute)
9.	Addressing Energy Security and Climate Change (MoEF and Bureau of Energy Efficiency)
10.	The Road to Copenhagen; India's Position on Climate Change Issues (MoEF)


**1.2 Objectives:**

1. Study Resource Consumption & CO<sub>2</sub> Emissions
2. Study of CO<sub>2</sub> Emission Reduction
3. Study of Indoor Air Quality Parameters
4. Study of Indoor Comfort Condition Parameters
5. Study of Waste Management
6. Study of Rain Water Harvesting
7. Study of Environment Friendly Initiatives

**1.3 General Details of College: Table No 4:**

No	Head	Particulars
1	Name of Institution	Sevadal Mahila Mahavidyalaya
2	Address	Sakkardara Square Umrer Road, Nagpur 440 024
3	Affiliation	Rashtra Sant Tukodoji Maharaj, Nagpur, University

  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.






## CHAPTER-II STUDY OF CONSUMPTION OF RECOURCES & CO<sub>2</sub> EMISSION

The Institute consumes following basic/derived Resources:

1. Air
2. Water
3. Electrical Energy

We try to draw a schematic diagram for the College System & Environment as under.


**Chart No 1: Representation of College as System & Study of Resources & Waste**



Now we compute the Generation of CO<sub>2</sub> on account of consumption of Electrical Energy.

The basis of Calculation for CO<sub>2</sub> emissions due to usage of Electrical Energy are as under


- 1 kWh of Electrical Energy releases 0.9 Kg of CO<sub>2</sub> into atmosphere

  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.

**Table No 5: Study of Consumption of Electrical Energy & CO<sub>2</sub> Emissions: 2020-21:**

No	Month	Energy Purchased, kWh	CO <sub>2</sub> Emissions, MT
1	Apr-20	0	0
2	May-20	56	0.0504
3	Jun-20	1047	0.9423
4	Jul-20	317	0.2853
5	Aug-20	343	0.3087
6	Sep-20	352	0.3168
7	Oct-20	410	0.369
8	Nov-20	454	0.4086
9	Dec-20	254	0.2286
10	Jan-21	253	0.2277
11	Feb-21	302	0.2718
12	Mar-21	396	0.3564
13	Total	4184	3.7656
14	Maximum	1047	0.9423
15	Minimum	0	0
16	Average	348.666	0.3138

**Chart No 2: Month wise CO<sub>2</sub>Emissions:**



**Table No 6: Important Parameters:**

No	Parameter/ Value	Energy Purchased, kWh	CO <sub>2</sub> Emissions, MT
1	Total	4184	3.7656
2	Maximum	1047	0.9423
3	Minimum	0	0
4	Average	348.6	0.3138

### **CHAPTER III**

## **STUDY OF CO<sub>2</sub> EMISSION REDUCTION**

The college has not installed solar roof-top PV plant, it is recommended to install solar roof-top PV plant on the college building as per the availability of fund.



**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



## CHAPTER IV STUDY OF INDOOR AIR QUALITY

### 4.1 Importance of Air Quality:

**Air:** The common name given to the atmospheric gases used in breathing and photosynthesis.

By volume, Dry Air contains 78.09% Nitrogen, 20.95% Oxygen, 0.93% Argon, 0.039% carbon dioxide, and small amounts of other gases.

On average, a person inhales about **14,000 liters** of air every day. Therefore, poor air quality may affect the quality of life now and for future generations by affecting the health, the environment, the economy and the city's livability.

Rapid urbanization and industrialization has added other elements/compounds to the pure air and thus caused the increase in pollution. In order to prevent, control and abate air pollution, the Air (Prevention and Control of Pollution) Act was enacted in 1981.

**Air quality is a measure of the suitability of air for breathing by people, plants and animals.**

According to Section 2(b) of Air (Prevention and control of pollution) Act, 1981 'air pollution' has been defined as 'the presence in the atmosphere of any air pollutant.'

### 4.2 Air Quality Index:

An **Air Quality Index (AQI)** is a number used by government agencies to measure the **air pollution** levels and communicate it to the population. As the AQI increases, it means that a large percentage of the population will experience severe adverse health effects. The measurement of the AQI requires an **air monitor** and an **air pollutant** concentration over a specified **averaging period**.

We present herewith following important Parameters.

1. AQI- Air Quality Index
2. PM-2.5- Particulate Matter of Size 2.5 micron
3. PM-10- Particulate Matter of Size 10micron

**Table No 8: Indoor Air Quality Parameters:**

No	Locations	AQI	PM2.5	PM10
<b>Ground Floor</b>				
1	Guest Room	32	26	33
2	Central Library	33	26	36
3	Physical Education Department	36	24	34
4	Examination Dept.	41	28	39
5	Computer Science Dept.	54	31	47
<b>First Floor</b>				

6	Auditorium	52	33	44
7	Principal's Office	56	32	48
8	HOD and Staff Room, Social Science	50	34	37
9	Seminar Hall	52	35	36
10	English Language Laboratory	48	36	36
11	PG Laboratory - Environment Science Department	53	31	41
12	HOD – Zoology Department	52	31	40
<b>Second Floor</b>				
13	Microbiology Research Laboratory	48	30	36
14	UG Laboratory – Biotechnology Department	48	31	36
15	HOD – Microbiology Department	47	31	36
16	HOD and Staff – Botany Department	46	32	35
17	Class Room -214	46	32	34
18	Class Room-215	47	32	36
19	Class Room-216	45	31	35
<b>Third Floor</b>				
20	Class Room -302	44	30	34
21	Class Room-303	45	32	35
22	Class Room-304	46	31	37
23	Class Room-305	44	30	38
24	Class Room-307	47	31	35
25	Class Room-308	46	30	34
26	<b>Maximum</b>	56	36	48
27	<b>Minimum</b>	32	24	33

**Principal**

Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.






## CHAPTER V STUDY OF INDOOR COMFORT CONDITION PARAMETERS

In this Chapter, we present the various Indoor Comfort Parameters measured during the Audit. The Parameters include:

1. Temperature
2. Humidity
3. Lux Level
4. Noise Level.

**Table No9: Study of Indoor Comfort Condition Parameters:**

No	Locations	Temperature (°C)	Humidity (%)	Lux Level	Noise Level (dB)
<b>Ground Floor</b>					
1	Guest Room	34	41	270	34
2	Central Library	34	43	265	31
3	Physical Education Department	34	43	248	32
4	Examination Dept.	34	42	220	31
5	Computer Science Dept.	33	44	215	35
<b>First Floor</b>					
6	Auditorium	37	41	210	32
7	Principal's Office	37	41	252	33
8	HOD and Staff Room, Social Science	37.1	43	265	32
9	Seminar Hall	37	44	245	33
10	English Language Laboratory	37	43	256	31
11	PG Laboratory - Environment Science Department	36.8	43	248	30
12	HOD – Zoology Department	36.7	43	240	33
<b>Second Floor</b>					
13	Microbiology Research Laboratory	37.2	42	244	32
14	UG Laboratory – Biotechnology Department	37	44	241	32
15	HOD – Microbiology Department	36	43	251	31
16	HOD and Staff – Botany Department	35.5	44	260	35
17	Class Room -214	35.2	43	281	32
18	Class Room-215	36	41	265	33
19	Class Room-216	36.1	41	284	32
<b>Third Floor</b>					
20	Class Room -302	39.2	45	305	39





Environmental Audit Report: Sevadal Mahila Mahavidyalaya, Nagpur: 2020-21

21	Class Room-303	39.5	45	305	31
22	Class Room-304	39.7	46	292	35
23	Class Room-305	39.2	44	265	32
24	Class Room-307	38.2	45	241	34
25	Class Room-308	39	46	247	35
26	<b>Maximum</b>	39.7	46	305	39
27	<b>Minimum</b>	33	41	210	30



Principal  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



## **CHAPTER VI STUDY OF WASTE MANAGEMENT**

### **6.1 Segregation of Waste at Source:**

The Waste is segregated at source and the recyclable waste, like paper waste is handed over to authorized waste collecting agent for further recycling.

**Photograph of Waste Collection Bins:**



### **6.2 Organic Waste Management:**

The College has installed bio-composting pit, to convert bio-degradable waste into bio-fertilizer.



### **6.3 Liquid Waste Management:**

The College has installed Septic tank and is cleaned periodically.

### **6.4 E-Waste Management:**

The E-Waste is disposed of through Authorized Agency.




**Principal**


Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9



### 6.5 Sanitary Waste Incinerator:

The College has installed Sanitary Waste Incinerator for sanitary waste disposal.



  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.




## **CHAPTER-VII**

### **STUDY OF RAIN WATER MANAGEMNT**

The College has implemented the Rain Water Management Project. The College has installed Pipes from the terrace and the Rain water falling on the terrace is gathered and is used to increase the underground water table.

**Photograph of Rain water Harvesting Pipe:**



  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



## **CHAPTER-VIII**

### **STUDY OF ENVIRONMENT FRIENDLY INITIATIVES**

#### **8.1 Internal Tree Plantation:**

The College has well maintained Tree Plantation in the campus.


Photograph of Tree plantation:



#### **8.2 Creation of Awareness about Energy Conservation:**

The College has displayed posters emphasizing on importance of Energy Conservation.

Photograph of Poster on Energy Conservation:





**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9



**ANNEXURE-I:**


**VARIOUS AIR QUALITY, WATER QUALITY, NOISE & INDOOR COMFORT STANDARDS:**

**1. Category Wise Air Quality Index Values & Concentration of PM 2.5 & PM10:**

No	Category	AQI Value	Concentration Range, PM 2.5	Concentration Range, PM 10
1	Good	0 to 50	0 to 30	0 to 50
2	Satisfactory	51 to 100	31 to 60	51 to 100
3	Moderately Polluted	101 to 200	61 to 90	101 to 250
4	Poor	201 to 300	91 to 120	251 to 350
5	Very Poor	301 to 400	121 to 250	351 to 430
6	Severe	401 to 500	250 +	430 +

**2. Recommended Water Quality Standards:**

No	Designated Best Use	Criteria
1	Drinking Water Source without conventional Treatment but after disinfection	pH between 6.5 to 8.5 Dissolved Oxygen 6 mg/l or more
2	Drinking water source after conventional treatment and disinfection	pH between 6 to 9 Dissolved Oxygen 4 mg/l or more
3	Outdoor Bathing (Organized)	pH between 6.5 to 8.5 Dissolved Oxygen 5 mg/l or more
4	Controlled Waste Disposal	pH between 6 to 8.5

  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrer Road, Nagpur-9.



**3. Recommended Noise Level Standards:**

No	Location	Noise Level dB
1	Auditoriums	20-25
2	Outdoor Playground	55
3	Occupied Class Room	40-45
4	Un occupied Class Room	35
5	Apartment, Homes	35-40
6	Offices	45-50
7	Libraries	35-40
8	Restaurants	50-55

**4. Thermal Comfort Conditions: For Non-conditioned Buildings:**

No	Parameter	Value
1	Temperature	Less Than 33°C
2	Humidity	Less Than 70%

  
**Principal**  
Sevadal Mahila Mahavidyalaya  
Umrao Road, Nagpur-9.